


FOR CASA APPROVED OPERATORS ONLY

24 MAR 2022

USE QNH

HAMILTON ISLAND, QLD (YBHM)

GE PROPRIETARY INFORMATION




RNP AR APCH
 - RF RQ
 - YBHM ACT QNH RQ
 - YBHM ACT TEMP RQ
 - PROC TEMP RANGE +14°C TO +36°C

Holding as directed by ATC

TR	INTURN TIME	MIN ALT	DME LMT

AD ELEV 15
 Bearings are Magnetic Elevations in FEET AMSL

	RW32	HM710	HM715	HM735	HM740	HM720
ALT (2.90° APCH PATH)	63	1000	2180	2230	3000	3300



NM FM THR	6.5	0	3.1	12.4	12.4	
-----------	-----	---	-----	------	------	--

CATEGORY	A	B	C	D
RNP (0.30)	NOT APPLICABLE		DA(H) 628' (613')-3.4	
RNP ()	NOT APPLICABLE		DA(H) () - .	
RNP ()	NOT APPLICABLE		DA(H) () - .	
RNP ()	NOT APPLICABLE		DA(H) () - .	
CIRCLING			NOT AUTHORISED	

- NOTES**
- PROC AVBL up to MLW.
 - Lateral transition to MAP must not be initiated prior to DA/H PSN.
 - APCH Path does not coincide with PAPI glide path 3°.
 - Transient yacht masts may infringe RWY 32 visual approach slope clearance.
 - See Engineering Report for Minimum MAP gradient (AE) to 2800 FT.

202109301941 COPYRIGHT 2021 NAVERUS, INC. USA

Revision: From SUP H97/21, chart title

BHMG07-170

DO NOT USE FOR NAVIGATION

Prepared by GE Aviation

