



# DME or GNSS ARRIVAL PROCEDURES MACKAY, QLD (YBMK) Page 1

1 DEC 2022

ATIS 112.7 128.0	SMC 121.7	TWR 124.5	CORAL APP (MK) 125.65	CTAF+AFRU (AH) 124.5	AFRU+PAL (AH) 124.5	FIA (AH) BN CEN 135.5	Bearings are Magnetic Elevations in FEET AMSL
---------------------	--------------	--------------	-----------------------------	-------------------------	------------------------	--------------------------	--



## DME USING MK DME REFERENCE WAYPOINT MK VOR



10 NM MSA 3100

AD ELEV 19

### SECTOR A

**MISSED APPROACH:**  
TURN LEFT,  
TRACK 130°.  
CLIMB TO 2500FT.

NM TO MK VOR	22	15	11	8	5	4	2	0						
<b>CIRCLING MINIMA</b>	A,B: 710-2.4			C: 900-4.0			D: 1160-5.0							
NM TO MK VOR	11	10	9	8	7	6	5	4	3	2	1.4	1	0.7	0.2
ALT (3.29° APCH PATH)	4500	4150	3800	3450	3100	2750	2400	2060	1710	1360	1160	1010	900	710

### SECTOR B

**MISSED APPROACH:**  
TURN AS APPROPRIATE,  
TRACK 130°.  
CLIMB TO 2500FT.

NM TO MK VOR	25	17	15	13	8	6	3	0							
<b>CIRCLING MINIMA</b>	A,B: 810-2.4			C: 900-4.0			D: 1160-5.0								
NM TO MK VOR	13	12	11	10	9	8	7	6	5	4	3	2	1.9	1.1	0.9
ALT (3° APCH PATH)	4700	4370	4050	3730	3410	3090	2770	2460	2140	1820	1500	1180	1160	900	810

### SECTOR C

**MISSED APPROACH:**  
TURN RIGHT,  
TRACK 060°.  
CLIMB TO 2500FT OR  
AS DIRECTED BY ATC.

NM TO MK VOR	25	17	15	13	8	5	3	0							
<b>CIRCLING MINIMA</b>	A,B: 710-2.4			C: 900-4.0			D: 1160-5.0								
NM TO MK VOR	14	12	10	9	8	7	6	5	4	3	2	1.9	1.1	1	0.5
ALT (3° APCH PATH)	5000	4370	3730	3410	3100	2780	2460	2140	1820	1500	1180	1160	900	870	710

Changes: CORAL APP FREQUENCY.

BMKDG01-173