


USE QNH

ILS-Z or LOC-Z RWY 28  
**RICHMOND, NSW (YSRI)**


30 NOV 2023



|                    |     |     |     |      |      |      |      |  |  |  |  |  |
|--------------------|-----|-----|-----|------|------|------|------|--|--|--|--|--|
| NM TO IRI DME      | 1.6 | 1.9 | 2   | 3    | 4    | 5    | 5.8  |  |  |  |  |  |
| ALT (3° APCH PATH) | 550 | 650 | 680 | 1000 | 1320 | 1640 | 1900 |  |  |  |  |  |

**MISSIED APPROACH:**

TRACK 275°  
 AT 500FT TURN RIGHT,  
 TRACK 020°  
 CLIMB TO 3300FT OR  
 AS DIRECTED BY ATC.



|               |  |  |  |  |  |  |  |  |  |  |  |  |
|---------------|--|--|--|--|--|--|--|--|--|--|--|--|
| NM TO IRI DME |  |  |  |  |  |  |  |  |  |  |  |  |
| NM TO THR 28  |  |  |  |  |  |  |  |  |  |  |  |  |

**NOTES**

- \* 1. ACFT MAY BE RADAR VECTORED TO IAF.
- # 2. IF MISSED APCH CONDUCTED PRIOR TO 0.6 IRI, CLIMB NOT ABV 2500FT UNTIL 0.6 IRI.
- 3. USE OF GP RESTR TO WI 7° OF RWY CL.

| CATEGORY  | A             | B             | C               | D               |
|-----------|---------------|---------------|-----------------|-----------------|
| S-I ILS   |               | 360 (307) 0.8 |                 |                 |
| S-I LOC   |               | 550 (497-1.9) |                 |                 |
| CIRCLING  | 800 (733-2.4) |               | 1090 (1023-4.0) | 1160 (1093-5.0) |
| ALTERNATE | (1233-4.4)    |               | (1523-6.0)      | (1593-7.0)      |

Changes: POWERLINE ADDED, MODEL ACFT SYMBOL REMOVED, Editorial.

SR1101-177