
ALBANY AVFAX CODE 6301

ELEV 2	233
--------	-----



 WA
 UTC +8
 YABA

 345636S
 1174832E
 VAR 2 DEG W
 CERT

 AD OPR City of Albany, PO Box 484, Albany, WA, 6331. Email:
 airport@albany.wa.gov.au. ARO 08 6820 3711. Fax 08 6820 3127.

REMARKS

- AD Charges: All ACFT.
 - This AD is a Security Controlled Airport. Security Gate access code to access terminal and/or airside can be obtained by contacting ARO.

HANDLING SERVICES AND FACILITIES

1.

2.

AIR BP: 2300-0900 UTC JO, 0000-0400 UTC SAT, AH call-out fee applies. Phone 08 6820 3781. Air BP Carnet card 24H bowser AVGAS and JET A1. JET A1 pressure refuel AVBL with 30 MINS PN.

PASSENGER FACILITIES

PT/TX/HC/LG/RF/WC

APRONS AND TAXIWAYS

- 1. TWY B AVBL for ACFT 10,000KG and below.
- TWY C AVBL for RFDS ACFT only and ACFT under 5,700KG with MAX wingspan 15M. (No access to main APN for larger ACFT from this TWY).

AERODROME OBSTACLES

- 1. Lit mast 671FT, Willyung Hill, BRG 091 DEG MAG 1.94NM FM ARP.
- 2. Secondary lit mast 603FT, Willyung Hill, BRG 088 DEG MAG 2.06NM FM ARP.
- 3. Transient OBST truck on highway 4.5%. Infringes RWY 23 take-off SFC.

METEOROLOGICAL INFORMATION PROVIDED

- 1. TAF CAT C, METAR/SPECI.
- 2. AWIS Phone 08 6216 2600 Report faults to BoM.
- 3. AWIS FREQ 122.125 (requires one-second pulse to activate) Report faults to AD OPR.

PHYSICAL CHARACTERISTICS

05/23	047	36a	PCN 10 /F /A /1050 (152PSI) /U	WID 30	RWS 90
14/32	137	59a	PCN 21 /F /A /1250 (181PSI) /T	WID 30	RWS 150

AERODROME AND APPROACH LIGHTING

RWY 14/32 RWY 14/32	LIRL(3) PTBL(2)	AFRU+PAL 127.85

				ANNANGEMENT
RWY 14	PAPI(1)	AFRU+PAL 127.85	3.0 DEG53FT	SDBY PWR AVBL
RWY 32	PAPI(1)	AFRU+PAL 127.85	3.0 DEG49FT	SDBY PWR AVBL
(1) Loft side only AEDLL PAL requires three three second pulses to activate				

Left side only. AFRU+PAL requires three three-second pulses to activate.

- (2) EMERG and by arrangement.
- (3) AFRU+PAL requires three three-second pulses to activate.
- 1. RWY edge light spacing: 14/32: 60M.
- 2. PAL cycle 60MIN.

OTHER LIGHTING

- 1. Secondary PWR switchover time: 15 SEC.
- 2. TWY A LGT blue; TWY C LGT blue.

ATS AND AERODROME COMMUNICATION FACILITIES

FIA MELBOURNE CENTRE 123.9 On ground

BY PRIOR ARRANGEMENT SDBY PWR AVBL BY PRIOR

BADIO NAVIGATION AND LANDING AIDS

DME	ABA	109.7/ 34X	345659.8S	1174835.5E	
NDB	ABA	240	345707.8S	1174837.9E	Range 100 (HN 60) OW

200 (OW HN110)

(1)(2)

(1) Antenna ELEV 243FT

(2)355/0.6 to ARP.

LOCAL TRAFFIC REGULATIONS

- Bay 2 restricted to RPT ACFT or ACFT approved by senior reporting officer. ACFT may 1. park on Bay 1 with prior approval or pilot may be RQ to remain in attendance to move ACFT at short notice.
- 2. ACFT above 18.000KG to turn on nodes only with MAX RAD turns.
- HEL parking on marked grass section N side of TWY Alpha and also. W side of TWY 3. Bravo.
- ACFT below 5.700KG and MAX wingspan of 15M only parking in GA parking area: NW of 4. main APN.
- 5. RWS not AVBL for TKOF or LDG.
- Limited parking for all ACFT ABV 5,700KG MTOW or wingspan greater than 15M. Contact 6. AD for parking.
- 7. TWY B not AVBL for ACFT ABV 10.000KG.

CTAF - AFRU 127.85

ADDITIONAL INFORMATION

- 1. All Pilots and Operators must possess and display a current Aviation Security Identification Card (ASIC) when airside.
- 2. Weather balloon launch APRX 0515, 1115, 2315 Local FM 680M ENE ARP. Launches may occur at other times.

CHARTS RELATED TO THE AERODROME

- WAC 3462. 1.
- 2. Also refer to AIP Departure and Approach Procedures.