

**AIP SUPPLEMENT  
(SUP)****AIRAC****H72/22****Effective: 202208101600 UTC**

AERONAUTICAL INFORMATION SERVICE,  
AIRSERVICES AUSTRALIA, GPO BOX 367,  
CANBERRA ACT 2601

For **DISTRIBUTION** queries, contact:  
Email: [aim\\_editorial@airservicesaustralia.com](mailto:aim_editorial@airservicesaustralia.com)

For **CONTENT** queries regarding this SUP, contact:  
Email: [mth.aerodrome@covalentlithium.com](mailto:mth.aerodrome@covalentlithium.com)

# **MOUNT HOLLAND AIRPORT (YMHL), WESTERN AUSTRALIA - ERSA AND RDS INFORMATION**

## **1. INTRODUCTION**

- 1.1 This SUP publishes En Route Supplement Australia (ERSA) and Runway Distance Supplement (RDS) information for Mount Holland (YMHL).

## **2. IMPLEMENTATION**

- 2.1 The information published in the Appendices will become effective 202208101600 UTC, the certification status and any aerodrome operational limitations will be advised by NOTAM.

## **3. MORE INFORMATION**

- 3.1 For more information about this aerodrome contact the ADO via the contact details published in Appendix 1.

## **4. CANCELLATION**

- 4.1 This SUP will be cancelled when incorporated into the ERSA and RDS.

## **5. DISTRIBUTION**

- 5.1 Airservices Australia website only.

## **Appendices**

1. Mount Holland (YMHL) - ERSA FAC
2. Mount Holland - RDS

**1. Mount Holland - ERSA FAC**

**MOUNT HOLLAND**

**ELEV 1462**

**AVFAX CODE 6315**

WA		UTC +8	YMHL
320630S	1194536E	VAR 0 DEG W	TBA

Covalent Lithium Pty Ltd L3, 109 St Georges Tce, Perth, WA, 6000.  
Email: [mth.aerodrome@covalentlithium.com](mailto:mth.aerodrome@covalentlithium.com), Site contact: 08 9230 5400  
AD MGR/ARO: 0447 134 518 24HR.

**REMARKS**

Restricted Operations. PPR from AD MGR/ARO.

**HANDLING SERVICES AND FACILITIES**

Marshalling, parking allocation and ground handling services by prior arrangement with AD MGR.

**APRONS AND TAXIWAYS**

TWY A - Code C, WID 23M.

Apron and TWY PCN 20/F/D/Y/T Bitumen.

**AERODROME OBSTACLES**

1. Lit Tower 1,622FT AMSL BRG 51 DEG MAG 0.51NM FM ARP.  
Infringes Inner HZS by 23FT.
2. Unlit Tower, 1,777FT AMSL BRG 345.7 DEG MAG 1.58NM FM ARP.  
Infringes inner HZS by 177FT.
3. Power Pole, 1,623FT AMSL BRG 279 DEG MAG 1.15NM FM ARP.  
Infringes inner HZS by 23FT.

**PHYSICAL CHARACTERISTICS**

08/26	084	52a	PCN 20/F/D/980 (142PSI)/ T	WID 30M	RWS 140M
-------	-----	-----	-------------------------------	------------	-------------

**AERODROME AND APPROACH LIGHTING**

RWY 08/26	LIRL	AFRU+PAL	126.4
RWY 08/26	PAPI (1)	AFRU+PAL	126.4
			3.0DEG 40.4FT

(1) Left side.

**OTHER LIGHTING**

TWY LGT: Blue edge

## **ATS COMMUNICATION FACILITIES**

FIA MELBOURNE CENTRE 125.4 3500FT

## **LOCAL TRAFFIC REGULATIONS**

1. All fixed wing ACFT ABV 5,700KG must make MAX RAD turns at MNM speed at turn pads to avoid SFC damage.
2. Itinerant PRKG CTC AD MGR/ARO.
3. All ACFT to follow APN markings.
4. All jet ACFT to use idle power for movements on the APN with the exception of breakaway thrust to initiate taxi.

## **FLIGHT PROCEDURES**

Right hand CCTS on RWY 08.

**CTAF** 126.4

## **ADDITIONAL INFORMATION**

CAUTION: Blasting occurs to the N of the AD. Dust plumes may occur following blasting. Contact ARO for more details.

## **CHARTS RELATED TO THE AERODROME**

1. WAC 3462.
2. Also refer to AIP Departure and Approach Procedures.

**2. Mount Holland RDS**

<b>RWY</b>	<b>CN</b>	<b>TORA</b>	<b>TODA</b>	<b>ASDA</b>	<b>LDA</b>
08	2	1600	1660 (3.27%)	1600	1600
26	2	1600	1660 (3.07%)	1600	1600

Slope 0.33% down to E. RWY WID 30 RWS WID 140 Graded 90.

**SUPPLEMENTARY TAKEOFF DISTANCES**

RWY08-	1286 (4219)(1.6)	1394 (4573)(1.9)	1477 (4846) (2.2)	1542(5059) (2.5)
RWY26-	1163 (3816) (1.9)	1447 (4747) (2.2)	1581 (5187) (2.5)	