

AIP SUPPLEMENT (SUP)

H134/25

Effective: 202507202300 UTC

AERONAUTICAL INFORMATION SERVICE,
AIRSERVICES AUSTRALIA, GPO BOX 367,
CANBERRA ACT 2601

For **DISTRIBUTION** queries, contact:
Email: aim.editorial@airservicesaustralia.com

For **CONTENT** queries regarding this SUP, contact:
Email: maintenance@globalairspacesolutions.com

WENTWORTH AERODROME (YWTO) NEW PROCEDURES

1. INTRODUCTION

- 1.1 This AIP SUP cancels and replaces SUP H71/25 with an editorial change to the appendices and a revised cancellation date.
- 1.2 This AIP SUP introduces new procedures for Wentworth Aerodrome (YWTO).

2. IMPLEMENTATION

- 2.1 Recommended coding sheets for the procedures are available on request.

3. NEW WAYPOINTS

Waypoints	Latitude	Longitude	Approach Point
ET2ED	335831.42S	1415951.59E	IAF RNP RWY 26
ET2EE	340120.44S	1420141.95E	
ET2EF	340515.93S	1415743.47E	FAF RNP RWY 26
ET2EI	340520.86S	1420134.64E	IF RNP RWY 26
ET2WA	340932.76S	1413856.41E	RIGHT IAF RNP RWY 08
ET2WB	340444.20S	1413508.65E	STRAIGHT IAF RWY 08
ET2WC	340007.99S	1413916.10E	LEFT IAF RNP RWY 08
ET2WF	340501.57S	1414700.79E	FAF RNP RWY 08
ET2WH	340051.67S	1415305.85E	MAHF
ET2WI	340453.34S	1414109.79E	IF RNP RWY 08
RW08	340509.98S	1415312.14E	MAPt RNP RWY 08
RW26	340511.19S	1415406.75E	MAPt RNP RWY 26

4. NEW THRESHOLDS

RWY	Latitude	Longitude	Elevation
08	340509.98S	1415312.14E	113ft
26	340511.19S	1415406.75E	111ft

5. CANCELLATION

- 5.1 This SUP will be cancelled when it is incorporated into AIP DAP, expected to be in DAP Amendment 185, effective 27 NOV 2025.

6. DISTRIBUTION

- 6.1 Airservices Australia website only.


Appendices

- 1. AERODROME CHART
- 2. RNP RWY 08
- 3. RNP RWY 26

APPENDIX 1
TO SUP H134/25



AD ELEV 120
34 05 16S 141 53 31E

AERODROME CHART
WENTWORTH, NSW (YWTO)



Changes: NEW CHART.



WTOAD01-SUP

APPENDIX 2
TO SUP H134/25
RNP RWY 08
WENTWORTH, NSW (YWTO)


CATEGORY	A	B	C	D
LNAV USING MIA ACTUAL QNH*	600 (487 - 2.7)			NOT APPLICABLE
LNAV	660 (547 - 3.1)			
CIRCLING	730 (610 - 2.4)	830 (710 - 4.0)		
ALTERNATE	(1110 - 4.4)		(1210 - 6.0)	

Changes: NEW PROCEDURE, Editorial

WTOGN01-SUP

APPENDIX 3
TO SUP H134/25
RNP RWY 26
WENTWORTH, NSW (YWTO)

NOTES

1. MAX IAS:
INITIAL : 160KTS
- *2.CAUTION: REMOTE
ALTIMETER SETTING
SOURCE YMIA.
- *3.ALTIMETER ENSURES
SEPARATION WITH
YMIA RNP RWY 18

CATEGORY	A	B	C	D
LNAV USING MIA ACTUAL QNH*	580 (469 - 2.6)			NOT APPLICABLE
LNAV	640 (529 - 3.0)			
CIRCLING	730 (610 - 2.4)	830 (710 - 4.0)		
ALTERNATE	(1110 - 4.4)		(1210 - 6.0)	

Changes: NEW PROCEDURE, Editorial

WTOGN02-SUP