AUSTRALIA

AIP SUPPLEMENT (SUP)

AERONAUTICAL INFORMATION SERVICE, AIRSERVICES AUSTRALIA, GPO BOX 367, CANBERRA ACT 2601

AIRAC H150/26

Effective: 202611251600 UTC

For DISTRIBUTION queries, contact:
Email: aim.editorial@airservicesaustralia.com

For CONTENT queries regarding this SUP, contact:
Email: ifp@airservicesaustralia.com

KUNUNURRA AERODROME (YPKU) RNP RWY 12 AMENDMENT

1. INTRODUCTION

1.1 Kununurra Aerodrome (YPKU) RWY 12/30 has been extended by 541M in a NW direction.

1.2 This AIP SUP provides updated data for the RWY 12/30 and details of the updated RNP RWY 12 approach procedure.

2. RWY DATA

Threshold	Latitude	Longitude	Elevation (AMSL)
RWY 12	154617.12S	1284150.29E	135FT
RWY 30	154655.29S	1284259.46E	144FT

2.1 Declared distance and gradient changes:

RWY	(CN)	TORA	TODA	ASDA	LDA
12	(3)	2370	2430 (3.24%)	2370	2370
30	(3)	2370	2430 (2.66%)	2370	2370

2.2 Supplementary Takeoff Distances:

RWY 12	1886 (1.6)	2060 (1.9)	2184 (2.2)	2277 (2.5)
RWY 30	2130 (1.6)	2247 (1.9)	2334 (2.2)	2400 (2.5)

3. RNP RWY 12

3.1 RNP RWY 12 approach has been amended to align with the new THR RWY 12 position.

3.2 Recommended coding for this procedure is available on request.

4. CANCELLATION

4.1 This SUP will be cancelled when it is incorporated into the DAP, ERSA and RDS expected to be 18 March 2027 and the DAH expected to be 10 June 2027.

5. DISTRIBUTION

5.1 Airservices Australia website only.

Appendices


1. Aerodrome Chart
2. RNP RWY 12

APPENDIX 1
TO SUP H150/26

AD ELEV 145
15 46 41S 128 42 27E

AERODROME CHART
KUNUNURRA, WA (YPKU)

AWIS	FIA	CTAF+AFRU	AFRU+PAL	Bearings are Magnetic
135.7	**BN CEN 122.4**	**127.0**	**127.0**	Elevations in FEET AMSL



RWY	AERODROME LIGHTING
	TAXIWAY : BLUE EDGE TWY A, B AND C RL : AFRU+PAL 127.0, SDBY.
12 *118*	PAPI BOTH SIDES 3.0° 54FT LIRL
298 **30**	PAPI BOTH SIDES 3.0° 54FT LIRL

NOTES

Changes: RWY EXTENSION, PAPI, THR ELEV.

PKUAD01-SUP


© Airservices Australia

airservices australia

APPENDIX 2
TO SUP H150/26


USE QNH

RNP RWY 12
KUNUNURRA, WA (YPKU)



NM TO NEXT WPT	4.4	3	2	1	KU2WF	4	2.7	1.8	1.2	RW12			
ALT (3° APCH PATH)	3100	2640	2320	2000	1690	1460	1050	750	560				

MISSED APPROACH:
TRACK DCT TO KU2WH, THEN TRACK 118°, CLIMB TO 3100ft.



NOTES

1. MAX IAS: INITIAL : 210KT.
* 2. NO CIRCLING STH OF RWY 12/30.

CATEGORY	A	B	C	D
LNAV/VNAV	**560** (425-2.4)			
LNAV	**750** (615-3.5)			
CIRCLING *	**1190** (1045-2.4)		**1350** (1205-4.0)	**1350** (1205-5.0)
ALTERNATE	(1545-4.4)		(1705-6.0)	(1705-7.0)

Changes: RW12 RELOCATED, DIST/ALT TABLE, SEGMENT LENGTHS, THR ELEV.

PKUGN01-SUP

© Airservices Australia

airservices australia