RUNWAY 19L/R JET DEPARTURES:

Jet noise abatement climb procedures apply as follows:

- 1. Noise Abatement Departure Procedures (NADP) required for all let departures including radar departures.
- 2. NADP1 required if SID cancelled by ATC at Pilot request except due weather.
- 3. All jet ACFT to comply with minimum clean speed, or MAX IAS 250KT below 10,000ft.

INTERSECTION DEPARTURES

Intersection departures RWY 19L/R

0500-2200 Local during daylight saving time (AEDT), 0600-2200 Local outside AEDT:

Not permitted for aircraft exceeding 30.000kg MAUW except aircraft not exceeding ICAO Code letter C aerodrome reference code from intersections A3, T2 or T3.

2200-0500 Local during AEDT, 2200-0600 Local outside AEDT:

Not permitted for all aircraft.

PREFERRED FLIGHT PATHS

4.1 Arriving Aircraft.

- 1. Landing RWY 19L/R:
 - From 0600-2200 Local, all jet aircraft will not normally be descended a. below 3,000ft until east of the coast to avoid noise sensitive areas.
 - From 2200-0600 Local, descent below 5,000ft is not permitted for all b. jet aircraft until east of the coast.
 - From 2200-0600 Local, descent below 3,000ft is not permitted for all C. non-jet aircraft until east of the coast.

2. Landing RWY 01R:

From 2200-0600 Local, all aircraft shall not descend a. below 3.000ft until aligned with 01R centreline.

Landing RWY 01L/R:

- Use, as the final landing flap setting, the minimum certified landing flap setting a. approved by the operator for the applicable conditions.
- Jet aircraft conducting a visual approach, ATC will issue an instruction to join b. final south of the Brisbane River.
- Non-jet aircraft ABV 5,700kg conducting a visual approach, ATC will issue an C. instruction to join final south of the Brisbane River when ETA is:
 - (i) 2000-2300 or (ii) 0600-1200

4.2 Departing Aircraft.

- Departing RWY 19L/R:
 - Jet aircraft will normally be assigned a procedural SID. a.
 - Non-jet aircraft will normally be assigned a radar SID. b.
 - From 2200-0600 Local non-jet aircraft can expect a left turn to be C. established and contained over water until above 5,000ft, unless operationally RQ by ATC or priority flights.

