

STANDARD INSTRUMENT DEPARTURES (SID)

RWY 19 IGBIK ONE (RNAV)

24 MAR 2022

TOWNSVILLE/TOWNSVILLE INTL, QLD (YBTL)



ATIS 114.1 133.5 276	ACD 128.1	SMC 121.8 264.6	TWR 118.3	APP/DEP 126.8	FIA (AH) BN CEN 120.55	CTAF+AFRU (AH) AFRU+PAL (AH) 118.3	AWIS (AH) 133.5	Bearings are Magnetic Elevations in FEET AMSL
-------------------------	--------------	--------------------	--------------	------------------	------------------------------	--	--------------------	--

NOT TO SCALE



SPEED
MAX IAS 250KT
BELOW 10,000ft

RNP 1



10 NM MSA 3600

IGBIK ONE DEPARTURE

RWY 19

GRAD 5.5% to 1300ft then 3.3%

MAX IAS 230KT UNTIL PASSING IGBIK

- Track 197° to VARBI
- Turn RIGHT, track DCT to IGBIK
- **Cross** IGBIK AT or ABV 4500ft
(RQ GRAD to IGBIK: 5.7%)
- Expect radar vectors to cleared route

COMMUNICATIONS FAILURE PROCEDURE

On recognition of communication failure

- Squawk 7600
- Maintain last assigned vector for two minutes, and
- CLIMB IF NECESSARY TO MINIMUM SAFE ALTITUDE, to maintain terrain clearance, then
- Proceed in accordance with the latest ATC route clearance acknowledged.

Changes: Editorial.

BTLDP08-170