


FOR CASA APPROVED OPERATORS ONLY

USE QNH

RNP X RWY 12 (AR)


16 JUN 2022

BRISBANE WEST WELLCAMP, QLD (YBWW)



- RNP AR APCH**
- RF RQ
 - YBWW QNH RQ
 - YBWW TEMP RQ
 - PROC TEMP RANGE -5°C TO 46°C
 - FINAL RNP RQ FROM RW12 TO WW430

Holding at WW400




TR	IN	TURN	TIME	MIN	DME
035°	Right	1	4200	ALT	LMT

CAUTION:


PROC IS OVERLAID BY PROC AT TOOWOOMBA. PRESCRIBED MAXIMUM ALTITUDES ENSURE SEPARATION.

NO CIRCLING



AD ELEV 1509

Bearings are Magnetic
Elevations in FEET AMSL



MISSED APPROACH:
CLIMB TO 4200FT VIA RNAV (RNP) MISSED APPROACH TRACK TO WW450

NOTES

1. MAX IAS:
INITIAL UDERI : 220KT
HOLDING WW400 : 200KT
2. TRANSITION TO MISSED APPROACH RNP FOR LATERAL GUIDANCE MUST NOT BE INITIATED PRIOR TO THE ALONG-TRACK POSITION OF THE DA/H
3. PAPI NOT COINCIDENT WITH VPA
4. PRD OPR HR VIA NOTAM EXCEPT D652 : H24 D635AB: HJ

CATEGORY	A	B	C	D
RNP (0.3)		1920 (484 - 2.6)		
RNP (0.23)		1820 (384 - 2.2)		
CIRCLING		NOT AUTHORISED		
ALTERNATE	(1419 - 4.4)		(1609 - 6.0)	(1609 - 7.0)

Changes: R654ABCD, OK MIL CTR

BWWGN04-171