
ALBANY AVFAX CODE 6301

	ELB	=V	233



WAUTC +8YABA345636S1174832EVAR 2 DEG WCERTAD OPR City of Albany, PO Box 484, Albany, WA, 6331. Email:
airport@albany.wa.gov.au. ARO 08 6820 3711.airport@albany.wa.gov.au.

1. AD Ch

- AD Charges: All ACFT.
 - This AD is a Security Controlled Airport. Security Gate access code to access terminal and/or airside can be obtained by contacting ARO.

HANDLING SERVICES AND FACILITIES

2.

AIR BP: 2300-0900 UTC JO, 0000-0400 UTC SAT, AH call-out fee applies. Phone 08 6820 3781. Air BP Carnet card 24H bowser AVGAS and JET A1. JET A1 pressure refuel AVBL with 30 MINS PN.

PASSENGER FACILITIES

TX/HC/LG/RF/WC

APRONS AND TAXIWAYS

- 1. TWY B AVBL for ACFT 10,000KG and below.
- TWY C AVBL for RFDS ACFT only and ACFT under 5,700KG with MAX wingspan 15M. (No access to main APN for larger ACFT from this TWY).

AERODROME OBSTACLES

- 1. Lit mast 671FT, Willyung Hill, BRG 091 DEG MAG 1.94NM FM ARP.
- 2. Secondary lit mast 603FT, Willyung Hill, BRG 088 DEG MAG 2.06NM FM ARP.
- 3. Transient OBST truck on highway 4.5%. Infringes RWY 23 take-off SFC.

METEOROLOGICAL INFORMATION PROVIDED

- 1. TAF CAT C, METAR/SPECI.
- 2. AWIS Phone 08 6216 2600 Report faults to BoM.
- 3. AWIS FREQ 122.125 (requires one-second pulse to activate) Report faults to AD OPR.

PHYSICAL CHARACTERISTICS

05/23	047	36a	PCN 10/F/A/1.05 MPa/U	WID 30	RWS 90
14/32	137	59a	PCN 21/F/A/Y/T	WID 30	RWS 150

AERODROME AND APPROACH LIGHTING

RWY 05/23	PTBL(2)		BY PRIOR
			ARRANGEMENT
RWY 14/32	LIRL(3)	AFRU+PAL 127.85	SDBY PWR AVBL
RWY 14/32	PTBL(2)		BY PRIOR
			ARRANGEMENT

RWY 14PAPI(1)AFRU+PAL 127.853.0 DEG53FTSDBY PWR AVBLRWY 32PAPI(1)AFRU+PAL 127.853.0 DEG49FTSDBY PWR AVBL

(1) Left side only. AFRU+PAL requires three three-second pulses to activate.

- (2) EMERG and by arrangement.
- (3) AFRU+PAL requires three three-second pulses to activate.
- 1. RWY edge light spacing: 14/32: 60M.
- 2. PAL cycle 60MIN.

OTHER LIGHTING

- 1. Secondary PWR switchover time: 15 SEC.
- TWY A LGT blue; TWY C LGT blue.

ATS AND AERODROME COMMUNICATION FACILITIES

FIA MELBOURNE CENTRE 123.9 On ground

BADIO NAVIGATION AND LANDING AIDS

DME	ABA	109.7/ 34X	345659.8S	1174835.5E	
NDB	ABA	240	345707.8S	1174837.9E	

(1)Range 100 (HN 60) OW 200 (OW HN110)

(2)

- (1) Antenna ELEV 260FT.
- (2)355/0.6 to ARP.

LOCAL TRAFFIC REGULATIONS

- ACFT above 18.000KG to turn on nodes only with MAX RAD turns. 1.
- 2. RWS not AVBL for TKOF or LDG.
- 3. TWY B not AVBL for ACFT ABV 10.000KG.
- 4 Parking:
 - a. Bay 2 restricted to RPT ACFT or ACFT approved by senior reporting officer. ACFT may park on Bay 1 with prior approval or pilot may be RQ to remain in attendance to move ACFT at short notice.
 - b. HEL parking on marked grass section N side of TWY Alpha and also, W side of TWY Bravo.
 - ACFT below 5,700KG and MAX wingspan of 15M only parking in GA parking area: NW c. of main APN.
 - d. Limited parking for all ACFT ABV 5.700KG MTOW or wingspan greater than 15M. Contact AD for parking.
 - e. Tie downs are not load rated.

CTAF - AFRU 127.85

ADDITIONAL INFORMATION

- 1. All Pilots and Operators must possess and display a current Aviation Security Identification Card (ASIC) when airside.
- Weather balloon launch APRX 2315 UTC FM 680M ENE ARP. Launches may occur at 2. other times.
- Aircraft on approach to RWY 05 should be aware of the potential risk of windshear due to З. local weather conditions.

CHARTS RELATED TO THE AERODROME

- WAC 3462. 1.
- 2. Also refer to AIP Departure and Approach Procedures.