
WEST MUSGRAVE AVFAX CODE 6407

FLFV 1600

WA UTC +8 YWMO 260311S 1274127E VAR 3 DEG E CERT

AD OPR OZ Minerals Musgrave Operations Pty. Ltd, 125 St Georges Terrace, Perth, WA, 6000. Email: wmoad@bhp.com. PH Site Contact Duty ARO 0456 845 115 H24. Website: www.bhp.com.



REMARKS

- 1. Restricted operations. 24HR PPR FM AD OPR.
- 2. Parking allocation by prior arrangement with AD OPR.

HANDLING SERVICES AND FACILITIES

Marshalling, parking allocation and ground handling services by prior arrangement with AD OPR. JET A1 AVBL. Contact ARO. No fuel AVBL on Bay 2.

PASSENGER FACILITIES

Telstra 4G reception.

APRONS AND TAXIWAYS

TWY A - Code C, 23M sealed.

AERODROME OBSTACLES

Communications mast 1,841FT AMSL BRG 158 DEG MAG 1.85NM FM ARP, infringes inner horizontal surface by 80FT.

METEOROLOGICAL INFORMATION PROVIDED

- TAF CAT C. METAR/SPECI.
- AWIS 122.075 (requires two pulses, one SEC apart to ACT)- Report faults to AD OPR.

PHYSICAL CHARACTERISTICS

09/27 087 69a PCR 566/F/B/1.44 MPa/T Chip seal. WID 30 RWS 280

AERODROME AND APPROACH LIGHTING

RWY 09/27 LIRL

RWY 09/27 PAPI(1) AFRU+PAL 126.7 3.0 DEG52FT

AFRU+PAL 126.7

- (1) Left Side.
- RWY edge LGT spacing 09/27: 56.83M.
- 2. RWY THR LGT: Green.
- 3. RWY end LGT: Red.

OTHER LIGHTING

- TWY LGT: Blue edge.
- Apron flood lighting.
- Solar LGT units installed within RWS. Solar generation units installed within RWS either side prior to each RWY THR.

ATS AND AERODROME COMMUNICATION FACILITIES

FIA MELBOURNE CENTRE 130.9 4000FT

LOCAL TRAFFIC REGULATIONS

- All ACFT ABV 5,700KG make MAX RAD turns at MNM speed at turn pads to avoid SFC damage.
- All ACFT to follow APN markings.
- All ACFT are RQ to backtrack on RWY CL.

FLIGHT PROCEDURES

Right hand CCTS RQ when OPR on RWY 27.

CTAF - AFRU 126.7

ADDITIONAL INFORMATION

Quarry blasting located BRG 185 DEG MAG 3.13NM FM ARP. Blasting prohibited during planned flight times. CTC the ARO to coordinate flights and blasting times.

CHARTS RELATED TO THE AERODROME

WAC 3344.